

## FREWSBURG FIRE DISTRICT

### CARBON MONOXIDE DETECTOR ACTIVATION NOTICE OF FINDINGS

Carbon Monoxide is an odorless, tasteless, colorless gas that is DEADLY. It is the by-product of a fuel burning process. It can cause symptoms that can mimic the flu, unconsciousness and even death. Many appliances around the home can produce Carbon Monoxide when faulty or unusual conditions exist. Since the source may be transient in nature, the source may not always be detectable.

The Frewsburg Fire District responded to investigate a possible Carbon Monoxide problem

at: \_\_\_\_\_ hours. Location: \_\_\_\_\_ on \_\_\_\_/\_\_\_\_/\_\_\_\_

CARBON MONOXIDE WAS\_\_\_\_ WAS NOT\_\_\_\_ found by our instruments.

Our instruments found the highest interior level of CO to be \_\_\_\_\_PPM.

#### WHAT DOES THIS READING MEAN?

**9 PPM or less:** Our instruments did not detect elevated levels currently. However, this does not mean that higher levels did not exist prior to our arrival nor that higher levels will not accumulate after our departure. Check your carbon monoxide detector per manufacturer recommendations and replace or reset the detector as directed by the manufacturer.

**More than 9 PPM:** Our instruments have detected potentially dangerous levels of carbon monoxide. We recommend that you leave this building immediately. We feel that it is unsafe to reoccupy this building until repairs are made and your detector is replaced or reset as directed by the manufacturer.

**100 PPM or greater:** We have detected a potentially lethal level of carbon monoxide in your home. Leave your building immediately. It is not safe until repairs are made or the source is found and corrected. Gas to your building has been shut off and will not be approved for reconnect until repairs have been made by a licensed technician. Replace or reset your detector as directed by the manufacturer. Carbon monoxide affects individuals differently depending on the size, age, and medical history of the occupants. Therefore, families with young children or members with medical conditions, or aged individuals should take extra precautions if carbon monoxide is detected.

Issued By: \_\_\_\_\_ Title \_\_\_\_\_ on \_\_\_\_/\_\_\_\_/\_\_\_\_

Received By: \_\_\_\_\_ on \_\_\_\_/\_\_\_\_/\_\_\_\_